AFFIDAVIT OF PLUGGING AND FILLING WELL

Farm name:	Cotrill, B	ronzel & Re	tha		_Operat	or Well	No.: WV607	743 (Sands 774	13)
LOCATION:	Elevation	_: 1128'			Quad	rangle:	Rosedale		
		Center					O:1		
	Latitude:		_ Feet	South of	[Deg	Min	Sec.	
	Longitude	e:	_ Feet	West of		_Deg	Min.	Se	; C.
Well Type: (OIL	_GAS <u>×</u>							
Company	EQT Pro	oduction Con	npany	Coal Or	perator	Imogei	ne Carrico Ager	nt .	CHIONO GOS
• •	550 Eagan	Street		or Own			ith Street	OFC	EMED GOVE
	Charleston	, WV 25301				Marme	t, WV 25315-17	745	Olto.
				Coal O	perator		· · · · · · · · · · · · · · · · · · ·	Ollica	13 50/3
Agent	Rex C. F	Ray		or Own	-			_ '	n 1 U
Permit Issue	ed Date	12-13-2012							men of the
STATE OF W				A	FFIDA\	/IT		Environ Environ	Debattwey, Of the street on the street of th
Rodney Osborr	20	. Ch	odoo Mo	or o					ording to law depose
the 20th	day of _	January	_, 20 <u>13</u> ,	and the	well was	s plugge	ed and filled i	in the following m	was commenced on nanner:
TYPE	_	ROM	TO		PI		MOVED	L L	EFT
Gel		2229'	Surfa			2229'	of 3*)", 816' of 8 1/4"
Cement		2229' 1914'	2098					2178' of 6	3 5/8", 154' of 3"
Cement		1188'	1695					Books 2 halos sont 6	2 1045 4005 4705 4745
Cement		858'	734						g 1915', 1865', 1765', 1715' ch @ 1169', 1119', 1069'
Cement	-	363'	Surfa						@ 866', 766', 812', 315',
									150', 100', 50', 25'
Description of said well was of And further	completed o	•	metal plats ay of Jan Pod Cha			20 <u>13</u> .	above ground And	d that the work o	of plugging and filling
Sworn and	subscribe b	efore me this	jth di	av of U	eb.		, 20 13		
My commission				-, -, -, -, -			·		
		Office of Oil and	Gas (_	Al	M.C.	Son	otary Public	Title: LNS	pector

AFFIDAVIT OF PLUGGING AND FILLING WELL

Farm name:	Hardmar		Opera	tor Wel	_{l No.:} 6	5534	1	_		
LOCATION:	Elevation	855'							vn Quad	
		Center			Cour	nty:	Gilm	er		-
	Latitude:		_ Feet						Sec.	
	Longitude	e:	Feet	West of _		_Deg.		Min	Sec.	
Well Type:	OIL	GAS ×	_							
Company	EQT Pro	duction Co	mpany	Coal Op	erator	See at	tached s	sheet		
• •	550 Eagan			or Owne			-		-	
	Charleston,				•				RECEIVED ON ONE	e de
				Coal Or	perator	. ——			CENTER	J. Colon
Agent	Rex C. F	Ray		or Owne					Spollow	
Permit Issu		12-13-2012	· · · · · · · · · · · · · · · · · · ·					- LE	CS OI -	13
								— <i>On</i>	~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~	7/13
				Al	FFIDA	VIT			MAR 13 20 MAR 13	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~
STATE OF ¥	VEST VIRGI I	NIA, KY							, all	Minister Cho.
County of Floy	/d	. ss:							Depct	a) bio.
		_							Melli.	-
and any distant	t	and C	I I I I I I I I I I I I I I I I I I I				being	g first d	were employed by	ing to law depos
the 6th	day of _	February	, 20 <u>13</u> ,	, and the v	well wa	s plugg	ed and	filled in	at said work want the following mar	ner:
TYPE		ROM	TO		<u> </u>	IPE RE		D	LEI	FT
Gel		1624'	suifa			1624			16' o	f 2",
Cement		1624'	145			203' of	6 5/8"		1345' of	6 5/8*
Cement		1430'	1260						147' o	f 10"
Cement	-	946'	668						<u> </u>	
Cement		244'	surfa	CB					Perfd 10 holes each (
									1279, 946', 858',	
			,						Perfd 5 holes eac	h @ 100' and 50'
	of monumer completed or deponents		day of <u>Fe</u>	l w/ 2'x2' metal bruary	l plate w/	API #, EQ1 20 <u>13</u> .	r, and Wel	1# and	that the work of the that the work of the the work of the	LE HANNING NOTARY PUBLIC
		efore me this _	Cha 10th.	rles y	Mazz	uan		-	MY (NO. 426403 M COMMISSION EXPIRES 9/26/2014
Sworn and My commission		_	<u> </u>	ay of	M	نما	ر 20 <u>12</u> د ا	e l	Malskin	LARGE WHITE
		Office of Oil and	d Gas: _	4	J-M	16	ptary P	ublic	Title: INSA	rector

- 5) b) Coal Owners w/ Declaration
 - John D. Piercy 9155 Southwestern Blvd Suffolk, VA 232437-9096
 - Charles O Conoway PO Box 549 Speculator, NY 12164-0549
 - Margaret Ann Conoway-Torok
 9290 Highland Drive
 Brecksville, OH 44141-2606
 - Jeffrey A. Wade A.I.F.
 Hrs. of F.W. Moore
 255 Oak Tree Drive
 Parkersburg, WV 26101-7570
 - Arnold L. & Mary Sue Schulberg
 39 Cedar Drive
 Hurricane, WV 25526-9221
 - Jean P. Chesnutt
 100 John Twine
 Williamsburg, VA 23185-5469
 - Ernest L. Piercy Sr. 311 Pine Drive Littleton, NC 27850-8503
 - David B. Piercy
 21 Sylvan Lane
 Newport News, VA 23502-5469
 - Donald N. Piercy 312 Dandy Loop Road Yorktown, VA 23692-4530

AFFIDAVIT OF PLUGGING AND FILLING WELL

	E.E. Bond #2	·	_Operator Well I	No.: <u>607009</u>									
LOCATION: EI	evation: 1103'		_ Quadrangle:	Gilmer									
Di	strict: Glenvi	ille.											
		Feet South of	-		Sec.								
		Feet West of											
	GAS>												
Company EO	m Dwodusties												
		Company Coal O		n sweene Box 451	<u>y</u>								
	arleston, WV			ton, WV	Office of Old and Sala								
<u></u>	CELECOCOMI WV		perator <u>wes</u>	CCII, WV	ECENED GOS								
Agent	Rex C. Ray		-		ite Oil otto								
Permit Issued	Date <u>06/1</u>	8/2012			Office Or								
STATE OF WES	T VIRGINIA.		AFFIDAVIT			ŊΩ							
County of <u>Ups</u>	hur ss:				Deparm protect								
Moss Tohm	AFFIDAVIT AFFIDAVIT												
			and filling all and	_being first d	uly sworth abouting to law depose								
well operator, an	d participated in the	work of plugging	and filling on and (gas wells and ' ve well sav th	were imployed by the above named nat said work was commenced on								
the 18th	dougt Tanuary	43		o won out a	ice odic work was commenced on								
	cay or <u>variually</u>	, 20 <u>13</u> , and the	well was plugged	d and filled in	n the following manner:								
		, 20 <u>13,</u> and the	well was plugged	d and filled in	the following manner:								
TYPE	FROM	ТО	PIPE REN	MOVED	LEFT								
TYPE Gel	FROM 2258'	TO surface	PIPE REN	MOVED 56'	LEFT Ö'								
TYPE Gel Cement	FROM 2258' 2258'	TO surface 2055'	PIPE REN 3" 23: 7" 56	MOVED 56' 81'	0' 1386'								
TYPE Gel Cement Cement	FROM 2258' 2258' 2046'	TO surface 2055' 1650'	PIPE REA 3" 23: 7" 56 8 1/4"	MOVED 56' 81'	1386' 890'								
TYPE Gel Cement Cement Cement	FROM 2258' 2258' 2046' 1530'	TO surface 2055' 1650' 1370'	PIPE REN 3" 23: 7" 56	MOVED 56' 81'	0' 1386'								
TYPE Gel Cement Cement	FROM 2258' 2258' 2046'	TO surface 2055' 1650' 1370' 810'	PIPE REN 3" 23: 7" 56 8 1/4" 10"	MOVED 56' 81' 0'	1386' 890'								
TYPE Gel Cement Cement Cement Cement	FROM 2258' 2258' 2046' 1530' 1176'	TO surface 2055' 1650' 1370'	PIPE REA 3" 23: 7" 56 8 1/4"	MOVED 56' 81' 0'	DEFT 0' 1386' 890' 133'								
TYPE Gel Cement Cement Cement Cement Cement Cement Description of m	FROM 2258' 2258' 2046' 1530' 1176' 645' 217'	TO surface 2055' 1650' 1370' 810' 522' 0'	PIPE REN 3" 23: 7" 56 8 1/4" 10" Cut 7" @ 56	MOVED 56' 81' 0' 0'	1386' 890'								
TYPE Gel Cement Cement Cement Cement Cement Cement Description of m	FROM 2258' 2258' 2046' 1530' 1176' 645' 217'	TO surface 2055' 1650' 1370' 810' 522' 0'	PIPE REN 3" 23: 7" 56 8 1/4" 10" Cut 7" @ 56	MOVED 56' 81' 0' 0'	DEFT 0' 1386' 890' 133' Perforations on back								
TYPE Gel Cement Cement Cement Cement Cement Cement Cement Cement	FROM 2258' 2258' 2046' 1530' 1176' 645' 217'	TO surface 2055' 1650' 1370' 810' 522' 0'	PIPE REN 3" 23: 7" 56 8 1/4" 10" Cut 7" @ 56	MOVED 56' 81' 0' 0'	LEFT 0' 1386' 890' 133' Perforations on back that the work of plugging and filling OFFICIAL SEAL NOTARY PUBLIC	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\							
TYPE Gel Cement Cement Cement Cement Cement Cement Cement Cement	FROM 2258' 2258' 2046' 1530' 1176' 645' 217' nonument: 7" pi	TO surface 2055' 1650' 1370' 810' 522' 0'	PIPE REN 3" 23: 7" 56 8 1/4" 10" Cut 7" @ 56	MOVED 56' 81' 0' 0'	LEFT 0' 1386' 890' 133' Perforations on back that the work of plugging and filling								
TYPE Gel Cement Cement Cement Cement Cement Cement Cement And further dep	FROM 2258' 2258' 2046' 1530' 1176' 645' 217' nonument: 7" pi	TO surface 2055' 1650' 1370' 810' 522' 0' pe 4' above go day of Februar Innely & May Lhu	PIPE REN 3" 23: 7" 56 8 1/4" 10" Cut 7" @ 56 round with 19 2 2013.	MOVED 56' 81' 0' 0'	LEFT 0' 1386' 890' 133' Perforations on back that the work of plugging and filling OFFICIAL SEAL NOTARY PUBLIC BTATE OF WEST VIRGIN DENISE H. PULLIA 49 W. LINCOLN ST.								
TYPE Gel Cement Cement Cement Cement Cement Cement Cement And further dep	FROM 2258' 2258' 2046' 1530' 1176' 645' 217' nonument: 7" pi epleted on the 13th conents saith not.	TO surface 2055' 1650' 1370' 810' 522' 0' pe 4' above go day of Februar Limsty K Muf Lhu s 44 day of 4	PIPE REN 3" 23: 7" 5: 8 1/4" 10" Cut 7" @ 5: round with y 2013.	MOVED 56' 81' 0' 0' 81' API# and	DEFT O' 1386' 890' 133' Perforations on back that the work of plugging and filling OFFICIAL SEAL NOTARY PUBLIC BIATE OF WEST VIRGIN DENISE H. PULLIA 49 W. LINCOLN ST. BUCKHANNON, WY 2022								
TYPE Gel Cement Cement Cement Cement Cement Cement Cement And further dep Sworn and sub	FROM 2258' 2258' 2046' 1530' 1176' 645' 217' nonument: 7" pi epleted on the 13th conents saith not.	TO surface 2055' 1650' 1370' 810' 522' 0' pe 4' above go day of Februar Innatage Muf Line s 14' day of 5	PIPE REN 3" 23: 7" 5: 8 1/4" 10" Cut 7" @ 5: round with y 2013.	MOVED 56' 81' 0' 81' API# and	DEFT O' 1386' 890' 133' Perforations on back that the work of plugging and filling OFFICIAL SEAL NOTARY PUBLIC BIATE OF WEST VIRGIN DENISE H. PULLIA 49 W. LINCOLN ST. BUCKHANNON, WY 2022								

AFFIDAVIT OF PLUGGING AND FILLING WELL

Farm name:	Pocahor	ntas Minin	ıg	Ор	erator We	il No.:	27	···	
LOCATION:	Elevation	_: 2657.39'		G	uadrangle	. Bra	ndshaw, W\	/	
	District:	Big Creek	ζ		County:	Мс	Dowell		
				South of 37	Deg1	17	Min. 30	Sec.	
							Min. 00	Sec.	
Well Type: (OIL	_GAS_X_							
Company	Cabot C	Oil & Gas		Coal Opera	ator Pocal	hontas	Mining LLC		
		Center West	Suite 401	or Owner		Box 18			
	Pittsburgh,			• • • • • • • • • • • • • • • • • • • •	Abing	don. V	A 24212		
	·	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		Coal Oper					
Agent	Brian Ha	all		or Owner					
Permit Issu		6/28/12		Of Owner					
remmt issu	eu Date	0/20/12							
				ΔFF	IDAVIT				
STATE OF W	EST VIRGI	INIA.		711	IDAVII				
County of Roa		SS:							
· —									
Bill Shreve			Kevin Shre					sworn according to la	
well operator	, and partic	ipated in the	work of pl	ugging and	filling the at	oove w	ell say that	employed by the abo said work was comm following manner:	ienced on
TYPE	F	ROM	T		PIPE RI	EMO\	/ED	LEFT	
Cement		5625'	520	0'	5591'	of 2 3/8°		0	
6% Gel		5200'	425	o' l	2810	of 4 1/2"		2972	
Cement		4250'	265	ď	0 of	8 5/8°		2071' Cemented to Surf	ace
6% Gel		2650'	210	0'	0 of	11 3/4"		395' Cemented to Surfa	iC8
Cement		2100'	140	O'	0 0	of 16"		40' Cemented to Surfa	ce
6% Gel		1400'	600	,					
Cement		600,	400	,				20%	
'୧% ଓଟା ५୦ Description	of monume	0' Cerr ent: 12' of 4 1/	nent 200 12" Casing w	th API#, Date,	face and COGC		and that	the work of plugging	and filling
said well was			_ day of Ja	nuary	20 <u>13</u>		£***/		
And furthe	r deponents	s saith not.	Bi	051	Mic		• • • • • • • • • • • • • • • • • • •	WE'S 1 1 5013	
			·	n / o	m				. O feligitable supply
Sworn and	subscribe	before me th	is <u>18</u> 40	ay ofa	nuary	1 . 20 <u>.</u>	13 1.		OFFICIAL SEAL NOTARY PUBLIC STATE OF WEST VIRGINIA
My commission	on expires:_	Oct . 30, 2	2021	-	Tibec	<i>Ca</i> Notary	S. Grlde Public		REBECCA S GOLDEN 2630 MIDDLE FORK REEDY, WY 25270 commission expires October 30, 2021
Affidavit revie	wed by the	Office of Oil	and Gas: _	Huy 1	Canual	1	Tit	le: <u>Inspector</u>	

AFFIDAVIT OF PLUGGING AND FILLING WELL

Farm name:	Caseman #3	2	_Operator Wel	No.: 6500	76					
LOCATION:	Elevation: 109	5 '	Quadrangle	Glover	Gap					
	District: Man	nington	_							
		Feet South of								
		Feet West of								
	OIL GAS				RECEIVED GOS					
Company		ion CompanyCoal Op			SECOllone					
		Lvania Ave.or Own	er	Offic	MAR 13 2013					
	Charleston,		perator ——		MAR 13 20.					
Agent	Rex C. Ray				WIT TO THE STATE OF THE STATE O), Cilion				
Permit Issue		5/07/2012			Debout More	<u></u>				
					MASHI					
	1710 Pennsylvania Ave. or Owner Charleston, WV 25302 Coal Operator or Owner ermit Issued Date 05/07/2012 AFFIDAVIT ATE OF WEST VIRGINIA, unty of Upshur ss:									
Max Lah	man	and Tim Marsh		hoine first d	uly sworn according to	low donne				
well operator,	and participated in	in the work of plugging a the work of plugging ar ember , 20 12 and the	and filling oil and and filling the ab	d gas wells and v	vere employed by the laboration said work was common	ove named				
TYPE	FROM	TO	PIPE RE	MOVED	LEFT					
Gel	3140'	01	5 1/2"		2014'					
Cement	30651	2865'	6 5/8"		0'					
Cement	2139'	2039'	10"	0'	151'					
Cement Cement	1070 ¹ 205 ¹	670'								
Callett	205	<u> </u>								
And further Sworn and My commissio	deponents saith not subscribe before me	e this 2016	ecenber Den		DENI BUCK	TARY PUBLIC OF WEST VIRGINIA SE H. PULLIAM W. LINCOLN ST. IANNON, W. 2020				

AFFIDAVIT OF PLUGGING AND FILLING WELL

Farm name:	YONG, GEORGE B.	OR TONE J	_Operator Well I	No.: WV 60)5125 (CRIM	5125)				
LOCATION:	Elevation: 101	.4 '	_ Quadrangle:	WALLAC	E					
	District: MANNI	NGTON	_ County: _	MARION	-					
	Latitude:	Feet South of	Deg	Min	Sec.					
	Longitude:									
	DILGAS _x									
Company	FOF PROJECTION OF	D Coal O	perator <u>CON</u>	SOLIDATIO	N COAL CENED ENERGY ON OF ACCESS 19	d Gas				
		A AVE UT OWI	100 ter	O COINSOL	ENERGY ON CO					
	CHARLESION W 2		CAN	ONSBURG P	MEC 917					
Amant	DUV G DAV		perator ATT	N: DON PÙ	GLIO 3	[013				
	REX C.RAY		ет		MAR 13	troiection				
reithit issu		7-2012				true Chor				
	- 4 • 4		FFIDAVIT		My Dep	al bio.				
STATE OF W	est- virg inia, 14 Y				- WINOWHE					
County of	loyd ss:				Ellan					
RODNE	OSBORNE and	CHARLES	MOORE	_being first du						
and say that th	ey are experienced in I	the work of plugging	and filling oil and o	as wells and w	ere employed by the	above named				
well operator,	and participated in the day of	work of plugging a	nd filling the abov	e well say the	at said work was co	mmenced on				
010	day of	20_1_2and the	well was plugged	ena mea m	the following manner	:				
TYPE	FROM	ТО	PIPE REM	OVED	LEFT					
GEL	1649!	SURFACE	1649'	of 3"	81' of 3"					
CEMENT	1649	1467'	1221	of 6 5/	8 373 of 6	5/8°				
CEMENT	1323'	1210'	21' of	8 1/4"	1239' of					
CEMENT	1165'	1036'			PERF 4 HOL					
CEMENT	346' 220'	226'			20 @1275'10					
CEMENI	220	SURFACE	3	6 1141	',1091',104 ',232',200'	1271 1001				
Description of	of monument: MEDAL ompleted on the 10t	PLATE WELDED ON	4" SQUAR TUBII , 2012.	AC MITH APPL	that the work of plug	jing and filling				
00.0 170.0 170.0 0	· · · · · · · · · · · · · · · · · · ·	()				EHANDON,				
And further	deponents saith not.	Rody	Ond		.s.r.r.r.r	E HANONIN				
		Charles	moore			NOTARY OF				
Swom and s	subscribe before me thi	s 14+ day of	معد :	20 12 1/	Name Name Name Name Name Name Name Name	PUBLIC TO SELECTION OF SEVERIFIES				
	expires: 9-26-16		Miche	lle Ho	Melshalezo	EXPIRES 9/26/2014				
		A . 11	/// Not	ary Public	**************************************	WINEAT LARGININ				
Affidavit review	davit reviewed by the Office of Oil and Gas: Title: \(\frac{\f{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\fra									

AFFIDAVIT OF PLUGGING AND FILLING WELL

Fam name:	MeadWe	estvaco C	orporat	ion	Opera	ator We	No.:_	MWV	Rupe	rt 1H		
LOCATION:	Elevation:	3,010				drangle	n	chwoo				
	District:	Kentucky	,		Cou	_		cholas	3		•	
	Latitude:	13,650	Eggt	South of		•	15	Min.	00	Sec.	-	
	Longitude			West of		Deg. Deg.		_ iviiri Min.	 	sec. Sec.		
Well Type: (0	PECE	IVED
Company		ating Comp		Coal Or		<u> </u>	I/A				MICH OF C	DII & Gas
		nt Court, Suite	200	or Own	ET						EEO n A	0040
	Dallas, TX	75201	· · · · · · · · · · · · · · · · · · ·	010	-		· A				FEB U 4	2013
Agent	Marc Mo	ntelenne		Coal Open		r	'A		-	10	9.4.79	
Permit Issue		1/17/12 P	moles	Of Owlk	ar	FREE	40 Hor	vontal M/	ell Permit	W	V Depar	ment of
I CHILL ISSU	M Daw	1717121	ngguig			0/3/20	IO HOIL	SOUTH AN	ai remit	*Envir	Onment a	Protection
				A	FFIDA	VIT						· · · · · · · · · · · · · · · · · · ·
STATE OF W									•			
and say that the well operator, the18th	and particip	rienced in the	e work of vork of pi	ugging an	ind filli d fillin	ng oil an or the ab	d gas w	rells and il sav t	were en	ployed by the	g to law depos te above name commenced o ter:	ad
TVDE		2014										•
TYPE 20°		ROM unface	T(PIPE RE	Surface	<u>:0</u>	 	LEF		
18 3/8, 54.5 #35		urface	1,25				Surface	<u></u>		40" (32 bbla. 1,251" (455 bbl		
9 5/8", 43.5#		urface	5,43				Surface		+	5,427		
Bridge Plug			1,32	r	* * * * * * * * * * * * * * * * * * * *					50 bbls, or		
Cement	5	A\$0"	6,14	5'						Open It	oje	
Coment	S.	nface	1,32	r					3	plugs, 509 bbls.	coment, and	
										set bridge plug	et 1,327	
		Steel post			P#			and	d that th	ework of ph	ugging and fillin	g
	deponents s	selith not.	· .	hael	•	land	201	_			NOTA STATE OF Jenni Bowles Rice Ma 600	CIAL SEAL RRY PUBLIC * WEST VIRGINIA for L Collins David Braff & Love LLP Quarrier SL abon, WV 25301 n Espiras Oct. 25 2014
Swom and	subscribe be	efore me this			nuc	ay_	_20	<u>5</u> .	4 0	•		
My commission	n expires;C)ctolor	26 , 20	PA T		em	lotary)	ublic	X C	Dellin Insp	0	
Affidavit review	red by the O	ffice of Oil a	nd Gas:					<u> </u>	Title:	1-250	ectus	•

AFFIDAVIT OF PLUGGING AND FILLING WELL

Farm name:	nm name: Glade Creek				r Well No.:_	1		
LOCATION:				Quadr	angle: Sha	ady Spring		
	District:	Shady Spri		- Count	D-1	eigh		
		9230		•		Min. 00	Sec.	
		e: 5410	Feet West of			Min. 00	Sec.	
Well Type: (OIL	_ GAS <u>X</u>	_					
Company	Cabot 0	Oil & Gas	Coal Or	nerator	Glade Creek	Oil & Gas Com	pany	
Company		Center West Su		•	P.O. Box 577			
	Pittsburgh	, PA 15276			Beckley, WV	25801		
			Coal O	perator				
Agent	Brian H	all	or Own	er				
Permit Issu	ed Date	6/28/12						
STATE OF W		sinia, _ ss:	A	FFIDAV	ΊΤ			
Bill Shreve		k	Cevin Shreve		ha:		sworn according to la	u damana
the 1st	day of	January	, 20 <u>13</u> , and the	well was	plugged an	d filled in the	following manner:	
TYPE		FROM	ТО	PII	PE REMOV	ED	LEFT	
Cement		3700'	2315'		3351' of 2 3/8"		0	
6% gel		2315'	2180' 1850'		2118' of 4 1/2" 0 of 7"		2871' 626' Cemented to Surface	
Cernent 6% Gel		1850'	950'	· · ·	0 of 9 5/8*		358' Cemented to Surface	
Cernent		950'	550'		0 of 12 3/4"		21' Cemented to Surface	
6% Gel		550'	200°	-	· · · · · · · · · · · · · · · · · · ·			
Cement		200'	Surface					
said well was		on the 4th	Casing with API#, D day of January		20 <u>13</u> .	and that	the work of plugging	Silly
		before me this		January	Notary	S. Yo	de	OFFICIAL SEAL NOTARY PUBLIC STATE OF WEST VIRGINIA REBECCA S GOLDEN 2630 MIDDLE FORK REEDY, WY 25270 commission expires October 30, 2021
Affidavit revie	wed by the	Office of Oil a	nd Gas:	ung .	Keewer	Tit	le: Inspector	

AFFIDAVIT OF PLUGGING AND FILLING WELL

Farm name:	Robinson #160	0	_Operator Well I	No.: 656291	<u> </u>	
LOCATION:	Elevation: 1147	1	Quadrangle:	Folson	n ·	
	District: Gran	t	County:	Wetze]	<u> </u>	
	Latitude:					
	Longitude:					
Well Type: (OIL GAS:	<u>x</u>				
Company	EQT Production	n CompanyCoal O	perator			
	1710 Pennsylv					
	Charleston, W					
•			perator	··· - ··· - · · · · · · · · · · · · · ·	- 4 to 7	
Agent	Rex C. Ray				RECEIVED GOS	
Permit Issu		9/2012		Of	fice of Oil and Gos	
		27-44-1-				
OTATE OF M		A	FFIDAVIT		FINY BE CAM	
	/EST VIRGINIA, oshur ss:					
County of OF	osnur ss:	•			MV Deocument	
Max Lah	nman an	d Tim Marsh		heina firet du	WY DESCRIPTION TO THE COLUMN	1
and say that th	ney are experienced in	the work of plugging	and filling oil and	gas wells and v	Myspacaccording to law deporter employed by the above name	ed
well operator,	, and participated in the	work of plugging ar	nd filling the abov	ve well say that	at said work was commenced of	on
the <u>12th</u>	day of <u>Decemb</u>	<u>er</u> , 20 <u>12</u> and the	well was plugged	d and filled in	the following manner:	
TYPE	EPOM	TO 1	DIDE DEL	101/50		7
Gel	FROM 2840 '	TO surface	PIPE REN 6 5/8"		1136 ¹	4
Cement	2840'	2760'	10"	0"	110'	-
Cement	2628'	2500'	10	- 0	110	4
Cement	2196'	1829'	Perforate	d_6_5/8" (2134' to 2124'	┨
Cement	1600'	1278'	retrorace	<u>u 0 3/0 </u>	2034' to 2024'	1
Cement	1040'	746'			1650' to 1640'	1
Cement	310'	31'			1610' to 1600'	1
Cement Description	31', of monument: 7" pi	0.1	oun with AP	I# _andi	that the work of olugoing and filling	ر سینیس نم 20
said well was	completed on the 15t	n day of January	, 20 <u>13</u> .		OFFICIAL SEAL	
		11/20/1/	fl		NOTARY PUBLIC "	31 K
And further	deponents saith not.	100000	min	\ []	BTATE OF WEST VIRGINIA DENISE H. PULLIAM	
	•	- Mar	. / .		49 W. LINCOLN ST.	18 S
		JANIT WAY			My commission expires June 12,	
Sworn and	subscribe before me th	is 18 day of 2	201106.1	20 /3		\sim
	1	10 <u>10 00</u> 00, 01 <u>1</u>	many.	20/3	7/1 -	
My commissio	n expires: Lune 1	2.2016	Deris	e H. Hu	llearn	
	()	<i>)</i> -	No	tary Public		
ACC design		10				
AIIIOBVIT FEVIEV	ved by the Office of Oil	and Gas:	2		Title: Inspector	

Rev (5-01) WR-38

DATE:

12/20/12

API#

იიგიც 47-103-00333.

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION

AFFIDAVIT OF PLUGGING AND FILLING WELL

Farm name:		Coen, Ja	mes & Esther		-	Operator V	Vell N	o.: Shreve 453	-651271
LOCATION:	Elevation:		983			Quadrangl		Big R	
	District:		Grant		_	County:	•	Wetz	
	Latitude:		Feet South of		Deg.		Min.		
	Longitude:		Feet West of		Deg.		Min.	Sec	
Well Type:	OIL		GAS	X			•		
•	٠.٠.		- 0.10		-				
Company:	EQT Produc					Coal Open	ator		
	1710 Penns				_	or Owner			
	Charleston,	WV 25302	<u> </u>		-				
						Coal Open	ator	SECENED	<u> </u>
Agent:	<u> </u>	Cecil Ra	<u>y</u>	•		or Owner		KECK	d Gos
							Offic	CS 01 O	
Permit Issue	d Date:	12/	16/2010				•	- 6	. ^
0717- 0-1				AFFIDAVIT	•			WLD 4 8 30	' 1
STATE OF V		•						MIL	
County of	Ritchie	:SS						perjetices in the wo	PART OF
and filling oil and	and Can McQui	illian being firs	st duly swom accord	ling to law dep	ose an	id say that they	are ex	genenced in the wo	uk of blinddiban 1
above well, and	Derek Haught.	Oil and Gas I	nspector representi	ned well opera na the Secreta	itor, an irv sav	o participateo :	n me w	ork of plugging and	Tilling the
November, 2012	2, and that the v	vell was plugg	ed and filled in the	following mann	ner:	uiat salu work	Midd or	MIMICILOCU UII UIC <u>Z</u>	ist day of
	TYPE	FROM	ТО			OVED		LEFT	٦
	Cement	2122	1860(tagged)	2 3/8	KEIVI	2122		736	4
	Cement	1860	1775	7		274			=
	Cement	1520	1420			214		1668	4
	Cement	810		70	6 0 70	0 700 740			4
			500			8,768,748			4
	Cement	340 137	137	640,617	7,601,	318,298			4
	Cement	137	surface						4
	Notes COV a	-1 -1 d h							
Dana			etween cement						ا ا
Desci	ription of moi	nument: / <u>"</u>	casing extendir	10 30. apov	e sur	race	and ti	hat the work of	olugging
			on the 19th day	-AI 'A	er <u>. 20</u>	<u>)12</u>			
And further d	eponents sa	~ · · ·		ahm					
	-	M Lul M	M. OKALAN ALA				ı		
			s 20th day of D	ecember <u>, 2</u>	<u> 2012</u>			STEED A	OFFICIAL SEAL MOTARY PUBLIC
My commissi	on expires:	June 7, 20	$\frac{29}{\sqrt{3}}$	1					KTE OF WEST VIRGINA
	9	aun	MUA	eca				NO. Dec	4652, Partersburg, WV 28104
		Notary Pub	lic					W Com	mission Expires June 7, 2020
Oil and Gas	Inspector:	_/_	,						
			-						

AFFIDAVIT OF PLUGGING AND FILLING WELL

Farm name:	Heartwo	od Forestla	nd FU		_Operat	or Weil	No.: WV026	520 (Rit	ter 172)		
LOCATION:	Elevation	. 1788ft			Quad	rangle.	Mallory 7.5	5'			
2007		Clear Fork			_ Goun	ty:	Wyoming				
		. ,	_ Feet	South of					Sec.		
	Longitude	e:	Feet	West of	·	_Deg.	Min		Sec.		
Well Type: (DIL.	_GAS_×									
•											
Company		duction Con	ірапу				r) Dynamic Energy, 100	Cranberry Ck.	Dr., PO Bex 1085, B	ackley, WV 25801	
	550 Eagan			or Own	er	and					
	Charleston	, WV 25301					Run Mining Compa	any, 208 Bus	siness St., Beckl	ay, WV 25801	
_		-			perator						
Agent	Rex C. F	кау		or Own	er	•	r) WPP, LCC	75	ECEIVED	;	
Permit Issue	ed Date	10-25-2012				5260 li	rwin Road, Hunti	ngton, W	2527 12827· ·	<u>e Gos</u>	
				A	FFIDA						
STATE OF W		INIA, KY _ ss:						М	AR 13		
Rodney Osbori		_	harles Mo				being first o	2 C FT. F B	Barioter.		
the 8th	day of	January	, 20 <u>13</u> ,	and the	well wa	s plugg	ed and filled i	n the follo		pe I e	
TYPE	F	ROM	T()	Р	PE RE	MOVED	<u> </u>	LEFT		
ice Attachment for plug d	epths					2000	of 7"	19' of 13	3/8", 725' of 10	3/4", 1057' of 7"	
						3210	of 2"		2204' of 8 5/8", 1	16' of 2"	
.= .								Perfd (10h	oles each) @ 2896',	2590', 2216', 1671',	
								1584', 1132	2', 982', and 675'. Per	fd (3 holes each) @	ļ
								1619', 1182	2', 1082', 1032', 932',	00°, 775°, 725°, 250°,	
									200', 150', and	100	-
said well was	completed deponents		day of Ja	nuary	Os	کی (20 13 Votary Public	d that the	work of plug	ging and filling MINIMULE HAN NOTARY PUBLIC ID NO. 42640 MY COMMISSE EXPIRES EXPIRES EXPIRES MAT LARG	
Affidavit review	wed by the	Office of Oil and	d Gas: _	Ba	4-	20	lige	Title: _	Inspe	cton	,

То	From	То	C1A Cement
Gel	3118	Surface	
Cement	3118	2986'	50
Cement	2897.5'	2783'	40
Cement	2592'	2470'	40
Cement	2257'	2013'	90
Cement	2013'	1882'	50
Cement	1688'	1554'	55
Cement	1197'	864'	130
Cement	798'	654'	65
Cement	308'	Surface	242